




# GENERAL INSTALLATION INSTRUCTION

Notes: This installation instructions are for all types of faucets, the faucet in this instructions is for reference only.


## BATHTUB FAUCET



### BEFORE INSTALLATION

- ▶ Please read these instructions carefully before starting the installation to avoid any unnecessary damage.
- ▶ Please check if the product is in a good condition after opening the package. The recommended tools shall be provided by yourself and not included with this product.
- ▶ All information is based on the latest product information available at the time of publication. We reserve the right to make changes in product characteristics, packaging or availability at anytime without notice.
- ▶ Please keep these instructions after installation for reference.
- ▶ All illustration and dimensions provided by these instructions are only for reference. For the installation, please refer to the actual product.
- ▶ Before installing and using this product, user shall carefully read and understand the content of these instructions.

### RECOMMENDED TOOLS AND MATERIALS




### ATTENTIONS

- ▶ Please read the followings before installing and usage.
- ▶ To avoid blockage, please flush all pipes before installing new fixture.
- ▶ Connect to appropriate water supplies with hot water supply on the left side and cold on the right side.
- ▶ For proper installation, verify the installation dimensions against the fixture.
- ▶ The temperature of the hot water shall not be higher than 71°C.

# INSTALLATION

Please read the followings before installing and usage.


■ For Reference only (unit = mm)



## 1 Drill installation holes

Cut mouting holes to install the faucet. Please verify the installation dimensions carefully before drilling holes. The dimensions can be changed as required for the actual product.

Notes: How many holes you need is based on the product you bought. If the product you bought has no handshower, do not drill hole for it. Verify the dimensions against the actual faucet.



## 2 Installing the spout


Take off lock nut, washer and other components from spout assembly. Slide decorative base seal and washer on the spout and then insert the spout in the installing hole and tighten it up to the deck.

## 3 Install the valve (s)

Type 1: Take off nut and washers, put handle assembly into hole, tighten it up from bottom.  
Type 2: Take off handle cartridge lock nut, and insert valve through hole from below. Turn the cartridge lock nut to appropriate position.

Adjust the valve position and tighten up screw upward after installing all other components on the valve.

Notes: The installing principle of diverter valve is same as that of the valve.



## 4 How to install handshower holder

Notes: If the product you bought has no handshower, skip this step.  
Take off lock nut and washer, put washer in the ring slot on holder and insert shower holder in the hole from above. Tightening up lock nut with washer after adjusting the shower holder to appropriate position.

## 5 Connecting to the water supply

Connect hoses following the figure, which type is similar to the product you bought.

Notes: When assembling handshower and hose connection, tighten by hand.

After all connections are tightened up, turn on the faucet and flush through water in order to remove impurities and check for any leaks.